#### Infant Sleep Position Policy

The American Public Health Association and the American Academy of Pediatrics have written guidelines for child care centers called Caring for Our Children—National Health and Safety Performance Standards: Guidelines for Out-of-Home Child Care Programs. They suggest using the following rules regarding infant sleep position and surroundings:

- Infants under 12 months of age shall be placed on their backs on a firm-fitting mattress for sleep in a crib.
- Waterbeds, sofas, soft mattresses, pillows, and other soft surfaces shall be prohibited as infant sleeping surfaces.
- All pillows, quilts, comforters, sheepskins, stuffed toys, and other soft products shall be removed from the crib.
- If a blanket is used, the infant shall be placed at the foot of the crib, with a thin blanket tucked around the crib mattress, reaching only as far as the infant's chest.
- The infant's head shall remain uncovered during sleep.
- Unless the child has a note from a physician specifying otherwise, infants shall be placed in a supine (back) position for sleeping to lower the risks of Sudden Infant Death Syndrome (SIDS).
- When infants can easily turn over from the supine to the prone
  position, they shall be put down to sleep on their back, but allowed to
  adopt whatever position they prefer for sleep.
- Unless a doctor specifies the need for a positioning device that restricts movement within the child's crib, such devices shall not be used.
- The room temperature will be kept at a temperature that is comfortable for a lightly clothed adult.
- Infant will always be under adult supervision, with a sleep check/record every 5-10 minutes.

- Babies that are awake will have supervised "tummy time" 2-3 times daily. This will help babies strengthen their muscles and develop normally.
- All staff in care of infants will take required Safe Sleep training with documentation. They will be knowledgeable on safe sleep policies and practices. They will review these policies often.

I.	, parent/guardian of
have read the policy memoral Infant Death Syndrome (SII placing infants on their backs Academy of Pediatrics to low	ndum on reducing the potential for Sudden OS) in Child Care Programs. I understand that is during sleep is recommended by the American wer the risk of SIDS. I support this policy and aregiver/provider on the best sleep position for
Instructions for sleep position	on:
Date:	Signed:

# DEPARTMENT OF PUBLIC HEALTH AND HUMAN SERVICES State of Montana — Pediatric Health Statement

Infant/Child's Name:	Date of Birth:		
Parent's Name:			
EXAMINATION:			
Known Health Conditions:			
Allergies (specific):			
Special Medication:			
Immunizations Current:			
Restrictions:			
Comments:			
or to other children in the day care setting.			
(PLEASE PRINT - Provider's Name)			
	Date:		
(Signature)			
PLEASE CONSULT: ARM 37.95.12	8		

# DPHHS-DCH-200, revised 12/2004



#### DEPARTMENT OF PUBLIC HEALTH AND HUMAN SERVICES

## -STATE OF MONTANA-

### INFANT FEEDING SCHEDULE

Date of Birth:

Infant/Chi	ld's Name:	Date	of Birth:	_		
Parent's N	lame:					
An indivi	dual form must	be completed for all infants	ages 0 to 18 months.			
Note the t	ype of breast mi	lk, infant formula, milk, and one. This needs to be updated	her foods that the infant any time food is added	normally uses and the average to an infant's diet.		
		Туре		Average Daily Amount		
Breast Mil	k:					
Infant Form	nula:					
Milk:						
Other Food	ds:					
List the ap	oproximate times ate amount (i.e.	s that the infant eats, what the sounces):	infant normally eats at ea	ich designated time, and the		
Time:	Breast Milk, Infant Formula, Milk, and Other Foods					
			4			
and the second s						
List any s	pecial considera	tions, (i.e. food allergies):				
Parent Sig	gnature	Date	Provider Signature	Date		